Refine Search

Search Results -

Terms	Documents
L14 and L6	2

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search:
```
10/742341
```

[Refine Search]

[Recall Text ⬍]   [Clear]   [Interrupt]

Search History

DATE: Sunday, March 11, 2007   **Purge Queries**   **Printable Copy**
Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR		
L15	L14 and l6	2	L15
L14	l10 or l12 or l13	59	L14
	DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR		
L13	(3648029 | 3786497 | 4121204 | 3921166 | T904088)! [PN]	4	L13

DB=PGPB,USPT,DWPI; THES=ASSIGNEE; PLUR=YES; OP=OR

L12   ("20040263494"| "20050137765"| "20050141997"| "4221975"| "US20050137765A"| "WO 200288905A") [ABPN1,NRPN,PN]   9   L12

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR

L11   l9   6   L11

DB=PGPB,USPT,DWPI; THES=ASSIGNEE; PLUR=YES; OP=OR

L10   ("20040263494"| "20050137765"| "20050141997"| "4221975"| "US20050137765A"| ".WO 200288905A") [URPN]   46   L10

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR

L9   20040263494 or l5   6   L9

L8   L7 and (vehicle or car or automobile)   1   L8

L7   L6 not l4   13   L7

L6   (prox\$ near4 sens\$) and (sequen\$ with pattern\$) and (control\$ adj5 (device or apparatus or component or system)) and (activat\$ near5 sequenc\$)   13   L6

L5   (prox\$ near2 sens\$) and (sequent\$ with pattern\$) and (control\$ adj3 (device or apparatus or component or system)) and (activat\$ near4 sequenc\$)   4   L5

L4   (prox\$ near2 sens\$) and (sequent\$ with pattern\$) and (control\$ adj3 (device or apparatus or component or system)) and (activat\$ near4 sequenc\$) and ((decre\$ or incre\$) near3 direction\$)   0   L4

L3   led and (slid\$ with (control\$ or activat\$)) and (prox\$ near2 sens\$) and (sequent\$ with pattern\$) and (control\$ adj3 (device or apparatus or component or system)) and (activat\$ near4 sequenc\$) and ((decre\$ or incre\$) near3 direction\$)   0   L3

(slid\$ with (control\$ or activat\$)) and (prox\$ near2 sens\$) and (sequent\$ with pattern\$) and (control\$ adj3

	(device or apparatus or component or system)) and		
L2	(activat$ near4 sequenc$) and ((decre$ or incre$) near3 direction$) and @ad<=20031219	0	L2
L1	20050137765	2	L1

END OF SEARCH HISTORY

Results for "((sequen* <near/4> pattern*) <and> (prox* <near/4> sens*) <and> ((switch* ..." $\boxtimes$ e-mail
Your search matched **20** of **1516137** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

Modify Search

((sequen* <near/4> pattern*) <and> (prox* <near/4> sens*) <and> ((switch* or direc   [**Search**]

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

[**view selected items**]   **Select All Deselect All**

☐ 1. **EMI emissions of modern PWM AC drives**
Skibinski, G.L.; Kerkman, R.J.; Schlegel, D.;
Industry Applications Magazine, IEEE
Volume 5, Issue 6, Nov.-Dec. 1999 Page(s):47 - 80
Digital Object Identifier 10.1109/2943.798337

AbstractPlus | Full Text: PDF(3140 KB)   **IEEE JNL**
Rights and Permissions

☐ 2. **Behavior analysis and training-a methodology for behavior engineering**
Colombetti, M.; Dorigo, M.; Borghi, G.;
Systems, Man and Cybernetics, Part B, IEEE Transactions on
Volume 26, Issue 3, June 1996 Page(s):365 - 380
Digital Object Identifier 10.1109/3477.499789

AbstractPlus | References | Full Text: PDF(2172 KB)   **IEEE JNL**
Rights and Permissions

☐ 3. **Particle-beam fabrication and in situ processing of integrated circuits**
Steckl, A.J.;
Proceedings of the IEEE
Volume 74, Issue 12, Dec. 1986 Page(s):1753 - 1774
AbstractPlus | Full Text: PDF(2022 KB)   **IEEE JNL**
Rights and Permissions

☐ 4. **Extraction of ocean wave parameters from HF backscatter received by a four-elem**
analysis and application
Gill, E.W.; Walsh, J.;
Oceanic Engineering, IEEE Journal of
Volume 17, Issue 4, Oct. 1992 Page(s):376 - 386
Digital Object Identifier 10.1109/48.180307

AbstractPlus | Full Text: PDF(812 KB)   **IEEE JNL**
Rights and Permissions

☐ 5. **Flexible syntactic matching of curves and its application to automatic hierarchical**
of silhouettes
Gdalyahu, Y.; Weinshall, D.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 21, Issue 12, Dec. 1999 Page(s):1312 - 1328
Digital Object Identifier 10.1109/34.817410

AbstractPlus | References | Full Text: PDF(1592 KB)   **IEEE JNL**
Rights and Permissions

☐ 6. **Automatic gait recognition based on statistical shape analysis**

Liang Wang; Tieniu Tan; Weiming Hu; Huazhong Ning;
Image Processing, IEEE Transactions on
Volume 12, Issue 9, Sept. 2003 Page(s):1120 - 1131
Digital Object Identifier 10.1109/TIP.2003.815251

AbstractPlus | References | Full Text: PDF(954 KB)   IEEE JNL
Rights and Permissions

☐   **7. Web mining in soft computing framework: relevance, state of the art and future dir**
Pal, S.K.; Talwar, V.; Mitra, P.;
Neural Networks, IEEE Transactions on
Volume 13, Issue 5, Sep 2002 Page(s):1163 - 1177
Digital Object Identifier 10.1109/TNN.2002.1031947

AbstractPlus | References | Full Text: PDF(373 KB)   IEEE JNL
Rights and Permissions

☐   **8. Linguistic analysis of experimental curves**
Mottl, V.V.; Muchnik, I.B.;
Proceedings of the IEEE
Volume 67, Issue 5, May 1979 Page(s):714 - 736

AbstractPlus | Full Text: PDF(2370 KB)   IEEE JNL
Rights and Permissions

☐   **9. Automatic locomotion design and experiments for a Modular robotic system**
Kamimura, A.; Kurokawa, H.; Yoshida, E.; Murata, S.; Tomita, K.; Kokaji, S.;
Mechatronics, IEEE/ASME Transactions on
Volume 10, Issue 3, June 2005 Page(s):314 - 325
Digital Object Identifier 10.1109/TMECH.2005.848299

AbstractPlus | Full Text: PDF(856 KB)   IEEE JNL
Rights and Permissions

☐   **10. Unbalance and harmonics detection in induction motors using an optical fiber sen**
Corres, J.M.; Bravo, J.; Arregui, F.J.; Matias, I.R.;
Sensors Journal, IEEE
Volume 6, Issue 3, June 2006 Page(s):605 - 612
Digital Object Identifier 10.1109/JSEN.2006.874441

AbstractPlus | Full Text: PDF(1176 KB)   IEEE JNL
Rights and Permissions

☐   **11. Force interaction and allocation for the legs of a walking vehicle**
Klein, C.; Tae-Sang Chung;
Robotics and Automation, IEEE Journal of [legacy, pre - 1988]
Volume 3, Issue 6, Dec 1987 Page(s):546 - 555

AbstractPlus | Full Text: PDF(1016 KB)   IEEE JNL
Rights and Permissions

☐   **12. The application of neural networks to fuel processors for fuel-cell vehicles**
Iwan, L.C.; Stengel, R.F.;
Vehicular Technology, IEEE Transactions on
Volume 50, Issue 1, Jan. 2001 Page(s):125 - 143
Digital Object Identifier 10.1109/25.917898

AbstractPlus | References | Full Text: PDF(624 KB)   IEEE JNL
Rights and Permissions

☐   **13. Shielding and electrical performance of silicon detector supermodules**
Ely, R.P.; Weber, M.; Zimmermann, S.; Rong-Shyang Lu; Lujan, P.J.;
Nuclear Science, IEEE Transactions on
Volume 52, Issue 5, Part 3, Oct. 2005 Page(s):1892 - 1898
Digital Object Identifier 10.1109/TNS.2005.856902

AbstractPlus | Full Text: PDF(968 KB)   IEEE JNL
Rights and Permissions

☐ **14. HMM based online handwriting recognition**
Jianying Hu; Brown, M.K.; Turin, W.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 18, Issue 10, Oct. 1996 Page(s):1039 - 1045
Digital Object Identifier 10.1109/34.541414

AbstractPlus | References | Full Text: PDF(792 KB)   IEEE JNL
Rights and Permissions

☐ **15. Modeling context-aware e-learning scenarios**
Derntl, M.; Hummel, K.A.;
Pervasive Computing and Communications Workshops, 2005. PerCom 2005 Workshops
International Conference on
8-12 March 2005 Page(s):337 - 342
Digital Object Identifier 10.1109/PERCOMW.2005.60

AbstractPlus | Full Text: PDF(352 KB)   IEEE CNF
Rights and Permissions

☐ **16. A hierarchical system structure for coordinated control of industrial manipulators**
Kang Shin; Malin, S.;
Robotics and Automation. Proceedings. 1984 IEEE International Conference on
Volume 1, Mar 1984 Page(s):609 - 619

AbstractPlus | Full Text: PDF(952 KB)   IEEE CNF
Rights and Permissions

☐ **17. Dynamics of projective adaptive resonance theory model: the foundation of PART**
Yongqiang Cao; Jianhong Wu;
Neural Networks, IEEE Transactions on
Volume 15, Issue 2, March 2004 Page(s):245 - 260
Digital Object Identifier 10.1109/TNN.2004.824261

AbstractPlus | References | Full Text: PDF(440 KB)   IEEE JNL
Rights and Permissions

☐ **18. Distributed Data Streams Indexing using Content-Based Routing Paradigm**
Bulut, A.; Singh, A.K.; Vitenberg, R.;
Parallel and Distributed Processing Symposium, 2005. Proceedings. 19th IEEE Internatic
04-08 April 2005 Page(s):94 - 94
Digital Object Identifier 10.1109/IPDPS.2005.170

AbstractPlus | Full Text: PDF(304 KB)   IEEE CNF
Rights and Permissions

☐ **19. Amplitude spectrum-based gait recognition**
Guoying Zhao; Rui Chen; Guoyi Liu; Hua Li;
Automatic Face and Gesture Recognition, 2004. Proceedings. Sixth IEEE International C
17-19 May 2004 Page(s):23 - 28
Digital Object Identifier 10.1109/AFGR.2004.1301504

AbstractPlus | Full Text: PDF(1421 KB)   IEEE CNF
Rights and Permissions

☐ **20. Experimental validation of pulse contour methods for estimating stroke volume at**
Yinghong Yu; Jiang Ding; Lili Liu; Salo, R.; Spinelli, J.; Tockman, B.; Pochet, T.; Auricchi
Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Annual Intel
Conference of the IEEE
29 Oct.-1 Nov. 1998 Page(s):401 - 404 vol.1
Digital Object Identifier 10.1109/IEMBS.1998.745928

AbstractPlus | Full Text: PDF(376 KB)   IEEE CNF

End of Result Set

☐ [Generate Collection] [Print]

L4: Entry 1 of 1   File: DWPI   Dec 7, 2006

DERWENT-ACC-NO: 2007-137409
DERWENT-WEEK: 200714
COPYRIGHT 2007 DERWENT·INFORMATION LTD

TITLE: Satellite positioning system`s e.g. global positioning system, receiver
position locating method for use with e.g. cellular telephone, involves obtaining
range-rate measurements at receiver with respect to set of satellites

INVENTOR: DIGGELEN, F V; VAN DIGGELEN, F

PATENT-ASSIGNEE: DIGGELEN F V (DIGGI), GLOBAL LOCATE INC (GLOBN)

PRIORITY-DATA: 2005US-0142824 (June 1, 2005)

[Search Selected]   [Search ALL]   [Clear]

PATENT-FAMILY:

	PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
☐	WO 2006130515 A2	December 7, 2006	E	000	
☐	US 20060273954 A1	December 7, 2006		013	G01S005/14

DESIGNATED-STATES: AE AG AL AM AT AU AZ BA BB BG BR BW BY BZ CA CH CN CO CR CU CZ
DE DK DM DZ EC EE EG ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KM KN KP KR KZ
LC LK LR LS LT LU LV LY MA MD MG MK MN MW MX MZ NA NG NI NO NZ OM PG PH PL PT RO RU
SC SD SE SG SK SL SM SY TJ TM TN TR TT TZ UA UG US UZ VC VN YU ZA ZM ZW AT BE BG BW
CH CY CZ DE DK EA EE ES FI FR GB GH GM GR HU IE IS IT KE LS LT LU LV MC MW MZ NA NL
OA PL PT RO SD SE SI SK SL SZ TR TZ UG ZM ZW

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
WO2006130515A2	May 26, 2006	2006WO-US20568	
US20060273954A1	June 1, 2005	2005US-0142824	

INT-CL (IPC): G01S 5/14

ABSTRACTED-PUB-NO: US20060273954A
BASIC-ABSTRACT:

NOVELTY - The method involves measuring fractional pseudoranges from a remote
receiver to a set of satellites, and obtaining an initial position at the remote
receiver. The position of the remote receiver is computed using the fractional
pseudoranges and the initial position. Range-rate measurements at the remote

receiver are obtained with respect to a set of satellites by obtaining Doppler measurements with respect to the set of satellites. The position is validated using the range-rate measurements.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for an apparatus for locating a position comprising a satellite signal receiver for measuring fractional pseudoranges to a set of satellites and for obtaining range-rate measurements with respect to the set of satellites.

USE - Used for locating a position of a receiver of a satellite positioning system (SPS) e.g. global positioning system (GPS), wide area augmentation system (WAAS), European GALILEO system, SBAS, and Russian GLONASS system, that is connected with a server via a network e.g. wireless network such as a cellular telephone network, and a wired network such as Internet, in a position location system that is utilized with a mobile or wireless device e.g. cellular telephone, pager, laptop computer, and personal digital assistant (PDA).

ADVANTAGE - The method effectively performs a validation of the position of the receiver in the satellite position system.

DESCRIPTION OF DRAWING(S) - The drawing shows a flow diagram depicting an embodiment of a method for locating a position of a remote receiver.

ABSTRACTED-PUB-NO: US20060273954A
EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.2/5

DERWENT-CLASS: W06
EPI-CODES: W06-A03A5C;

Previous Doc   Next Doc   Go to Doc#

Hit List

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs |

| Generate OACS |

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 20040263494 A1

L15: Entry 1 of 2   File: PGPB   Dec 30, 2004

```
PGPUB-DOCUMENT-NUMBER: 20040263494
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20040263494 A1

TITLE: Location sensitive display device, system, and method of providing animation
sequences

PUBLICATION-DATE: December 30, 2004

INVENTOR-INFORMATION:
NAME                              CITY                STATE       COUNTRY
Poor, Kyle W.                     Orlando             FL          US
Holzberg, Roger S.                Burbank             CA          US
Dietz, Paul H.                    Hopkinton           MA          US
Stein, Lawrence P.                Windermere          FL          US
Swirsky, Robert                   Sunnyvale           CA          US

US-CL-CURRENT: 345/204
```

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 2. Document ID: US 4221975 A

L15: Entry 2 of 2   File: USPT   Sep 9, 1980

```
US-PAT-NO: 4221975
DOCUMENT-IDENTIFIER: US 4221975 A

TITLE: Touch activated controller and method
```

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |

Terms	Documents
L14 and L6	2

Display Format: [-] [Change Format]

Previous Page   Next Page   Go to Doc#